

INDIAN INSTITUTE OF TECHNOLOGY KANPUR  
INSTITUTE WORKS DEPARTMENT  
ELECTRICAL & AIR-CONDITIONING DIVISION

No. 02/AC/EE/2021/15

Dated 12-04-2021

QUOTATION NOTICE

M/s .....

Sealed quotations are invited from the Specialized Agencies by the undersigned on behalf of the Director, IIT Kanpur for "SITC of hot water geyser 25 Litrs with power points in Lady & Gents toilets attached with Kitchen & other amenities at Community Center Type-2.." As per enclosed Bill of Quantity/ overleaf, so as to reach in this office on or before 26-04-2021 upto 3.00 PM and the quotation will be opened on the same day at 3.30PM in the presence of quotationers or their representative who want to be present.

The terms and conditions of the quotation are as under:

1. The quotations should be submitted in a properly sealed envelop, addressed to the undersigned. The enquiry nos. and date should invariably quoted on the top of the envelop.
2. The time allowed for carrying out the above noted work is 21(Twenty One) Days.
3. The rates quoted should be exclusive of GST, no other tax is payable except GST. GST shall be applicable as per Govt. norms..
4. Security @ 7.5% shall be deducted from the bills which shall be released on successful completion of defect liability period of six months.
5. The estimated cost of quotation is **Rs.57747/-**. The required earnest money of **Rs. 1155/-** is to be submitted in the form of FDR pledged in favour of the Director, IIT Kanpur alongwith the quotation. The earnest money of the unsuccessful quotationers will be returned within one month's time.
6. The quotations shall remain valid for 90 days from the date of opening.
7. Income tax will be recovered as per notification of Government from the bill and the amount so recovered will be deposited in the State Bank of India at the credit of the firm.
8. The earnest money/Security deposit will be regulated as per the norms of C.P.W.D.
9. The Institute reserves the right of accepting or rejecting any quotations without assigning any reason thereof.
10. The material should be used as per approved list of make.


## QUOTATION

**Sub: SITC of hot water geyser 25 Litrs with power points in Lady & Gents toilets attached with Kitchen & other amenities at Community Center Type-2.**

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
1	Supply, Installation, Testing and commissioning of Hot water Geyser of 25 litre capacity including rac bolt, nut bolt and washer etc. Complete as required.	4.00	Nos		
2	Supplying and drawing following sizes of FR PVC insulated copper conductor, single core cable in the existing surface / recessed steel / PVC conduit as required.				
a)	3 X 4 Sq.mm	75.00	Mtrs.		
3	Supplying and fixing 5 to 32 A rating, 240/415 volts, "c" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
a)	Single pole 5 to 32 A.	2.00	Nos.		
4	Supply and fixing 20 amps, 240 volts, SPN industrial type, socket outle, with 2 pole and earth, metal enclosed plug tip alongwith 20 amps "C" curve, SP MCB, in sheet steel enclosure, on surface or in recess with chained metal cover for the socket out let and complete with connections, testing commissioning etc. as required.	4.00	Nos.		
5	Providing and fixing on surface with screw of size 32 mm x 12.5 mm. DLP mini trunking system with independent cover as reqd.	40.00	Mtrs.		
6	Providing and fixing accessories for following size of DLP mini trunking system as reqd. (32 mm x 12.5mm)				
a)	Flat Junction	5.00	Nos.		
b)	Changeable flat angle	10.00	Nos		

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
c)	Changeable internal/External angle	15.00	Nos.		
d)	End cap left or right	2.00	Nos.		
7	Providing and fixing on surface with screw of size 32 mm x 20 mm. DLP trunking system with independent cover as reqd.	10.00	Mtrs.		
8	Providing and fixing accessories for following size of DLP mini trunking system as reqd. (32 mm x 20mm)				
a)	Flat Junction	2.00	Nos		
b)	Changeable flat angle	5.00	Nos		
c)	Changeable internal/External angle	10.00	Nos		
d)	End cap left or right	2.00	Nos		
9	Providing and fixing DLP trunking of size 105 mm x 50 mm on surface with suitable plug and screws as reqd.	3.00	Mtrs.		
10	Providing and fixing accessories for DLP mini trunking of size 105 mm x 50 mm as reqd.				
a)	Flexible cover for 85 mm width	3.00	Mtrs.		
b)	Partition	2.00	Mtrs.		
c)	Flat Junction	2.00	Nos		
d)	Flat angle	2.00	Nos		
e)	Internal angle adjustable from 80 - 100	2.00	Nos		
f)	External angle adjustable from 60 - 120	2.00	Nos		

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
g)	End Caps	2.00	Nos		
h)	Base Joint	3.00	Nos		
i)	Joint for 85 mm width cover	1.50	Nos		
j)	Clips	10.00	Nos		
Total Rs.					

  
अधिसूचकी अभियंता (वा०) E.E. (A.C.)  
संभारवि०, आ०प्रौ० संस्थान, कानपुर  
I.W.D., I.I.T Kanpur