

INDIAN INSTITUTE OF TECHNOLOGY KANPUR  
INSTITUTE WORKS DEPARTMENT  
ELECTRICAL & AIR-CONDITIONING DIVISION

No. 63/AC/EE/2022/ 371

Dated 17-03-2022

QUOTATION NOTICE

M/s .....  
.....  
.....  
.....

Sealed quotations are invited from the electrical empanelled contractor by the undersigned on behalf of the Director, IIT Kanpur for "Providing and fixing light, power point and wire for compressor room (Proposed) at hall -3, Near main gate.." As per enclosed Bill of Quantity/overleaf, so as to reach in this office on or before 25-03-2022 upto 3.00 PM and the quotation will be opened on the same day at 3.30PM in the presence of quotationers or their representative who want to be present.

The terms and conditions of the quotation are as under:

1. The quotations should be submitted
2. in a properly sealed envelop, addressed to the undersigned. The enquiry nos. and date should invariably quoted on the top of the envelop.
3. The time allowed for carrying out the above noted work is 21(Twenty Eight) Days.
4. The rates quoted should be exclusive of GST, no other tax is payable except GST. GST shall be applicable as per Govt. norms..
5. Security @ 6% shall be deducted from the bills which shall be released on successful completion of defect liability period of six months.
6. The estimated cost of quotation is **Rs.51937/-**. The required earnest money of **Rs. 1039/-** is to be submitted in the form of FDR pledged in favour of the Director, IIT Kanpur alongwith the quotation. The earnest money of the unsuccessful quotationers will be returned within one month's time.
7. The quotations shall remain valid for 90 days from the date of opening.
8. Income tax will be recovered as per notification of Government from the bill and the amount so recovered will be deposited in the State Bank of India at the credit of the firm.
9. The earnest money/Security deposit will be regulated as per the norms of C.P.W.D.
10. The Institute reserves the right of accepting or rejecting any quotations without assigning any reason thereof.
11. The material should be used as per approved list of make.


QUOTATION

**Sub: Providing and fixing light, power point and wire for compressor room (Proposed) at hall -3, Near main gate.**

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
1	Supplying & drawing following sizes of FRLS PVC insulated copper conductor single core cable in / on the existing surface / recessed, PVC / steel conduit as reqd.				
a)	3 x 1.5 Sq.mm..	5.00	Mtr.		
b)	3 x 4 Sq.mm..	5.00	Mtr.		
c)	3 x 6 Sq.mm..	125.00	Mtr.		
2	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required.				
a)	1/2 module	1.00	No.		
c)	6 module	1.00	No.		
3	Supplyand & fixing following modular switch/ socket on the existing modular plates & switch box including connection but excluding modular plate etc. as reqd.				
a)	5/6 Amp one way switch	3.00	Nos.		
b)	3 Pin 5/6 Amp. socket outlet	1.00	No.		
c)	15/16 Amp. one way switch	1.00	No.		
d)	6 Pin 15/16 Amp. socket outlet.	1.00	No.		

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
e)	Modular type blanking plate.	1.00	No.		
4	Supplying and fixing 3 pin, 5 A ceiling rose on the existing junction box/ wooden block including connections etc. as required.	2.00	Each		
5	Supply, fixing, testing and commissioning following LED light fittings surface/recessed/bracket type including connection etc. as required.				
a)	LED Tube light Fitting 20 watt PC batten. Make_ Crompton trim linea(LCTLN-20-CDL ) or equivalent.	1.00	No.		
b)	LED wall (Bulk head) light fitting 6.5watt, AL-pressure die cast body, IP-65 (VISTA GLOW) 700 lm	1.00	No.		
6	Providing & fixing of size 32 mm x 12.5 mm. DLP mini trunking system with independent cover as reqd.	5.00	Mtrs		
7	Providing & fixing accessories for following size of DLP mini trunking system as reqd. (32 mm x 12.5 mm)				
a)	Flat junction	2.00	Nos.		
b)	Changeable flat angle	5.00	Nos.		
c)	Changeable internal /External angle	5.00	Nos.		
d)	End cap left or right	2.00	Nos.		
8	Supplying and fixing DP/TP/FP sheet steel enclosure on surface/ recess etc. as required.	1.00	Each		
9	Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
a)	Single pole	1.00	Each		

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
b)	Double pole	2.00	Each		
10	Supplying and fixing metal box of following sizes (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including painting etc. as required.				
a)	180 mm X 100 mm X 60 mm deep	2.00	Each		
11	Supply & Laying of HDPE pipe of 32 mm inner dia, 2mm thick l/c cartage, loading & unloading etc. as reqd. (ISI mark)				
a)	In ground	100.00	Each		
b)	In pipe	10.00	Each		
c)	Open duct	5.00	Each		
d)	On surface	5.00	Each		
	<b>Total Rs.</b>				

  
 अधिकाारी, अधिकाारी (अधिकाारी) E.E. (A.C.)  
 अधिकाारी, अधिकाारी अधिकाारी, अधिकाारी  
 I.W.D., L.T. अधिकाारी