


## QUOTATION

**Name of work:-** Issuing of test reports of flue gases emissions & noise monitoring of the various capacity of DG sets (21 No's) installed at various DG Houses/ Substations in the campus.

S.No.	Description	Qty.	Unit	Rate (In words & Figures)	Amount
1	Testing and checking of stack Monitoring from Particulate Matter (PM), Sulphur Dioxide (SO <sub>2</sub> ), Nitrogen Dioxide (NO <sub>2</sub> ), Carbon Monoxide (CO), Hydrocarbon (HC) and HC/NMHC for DG sets installed at various place in campus including transportation cost of instruments etc. as required, detail of DG sets attached: as per format annexure-I or as per format approved by CPCB as directed by the Engineer In-charge.	21.00	Nos		
2	Testing and checking of Noise Monitoring Insertion loss AS per CPCB norms for DG sets installed at various place in campus as per format annexure-II or as per format approved by CPCB including transportation cost of instruments etc. as required, detail of DG sets attached here with, as directed by the Engineer In-charge.	21.00	Nos		
3	Transportation charges for instruments and self for above testing & noise monitoring at various places in the campus as directed by Engineer In-charge.	0.00	Nos		

**Total Rs.**

  
अधिसाजी अभियंता (वि. ए. ई. (Elect.  
संविधि), शाखा, ...  
[W.D. 11.11.11]  
